



Customized Precision Metal Stamping for EMI RFI Protection in High-Frequency Electronic Devices with Custom PCB RF Shield

Basic Information

Place of Origin: ChinaBrand Name: Xianheng

Certification: ISO 9001:2015 SGS RoHS

Model Number: RF-XG-35Minimum Order Quantity: 1 pcs

Price: USD 0.01\$-0.5\$Packaging Details: Carton Wooden case

• Delivery Time: 5-8 days

Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 10000 SET per week



Product Specification

Products: SMD EMI PCB RF Shield Cover, stamping

Contacts, Metal Parts

Process: Metal Sheets Fabrication, Welding Cutting

Punching Stamping

Application: SMD EMI PCB RF Shield Cover, Mobile PCB

Cover

• Tolerance: +/-0.02mm

• Equipment: Precision Stamping Parts

Material: Tin Plate Copper-Nickel-Zinc Alloy

• Function: Shielding Cover

• Used: PCB Board, mobile Phones Cover,

Computers, GPS, Watches, Digital Products And Other Electronic Products, Prevent Electromagnetic Interference (EMI), On PCB

Components And LCM Shield

Surface Finishing: Normal, tin Plating, nickel Plating

Package: Platic Bag ,Blister Box ,Tap Reel Or As Your

Daguirad



More Images



What We Can Provide

Customized Precision Metal Stamping for EMI RFI Protection in High-Frequency Electronic Devices with Custom PCB RF Shield

Description Of Customized Precision Metal Stamping for EMI RFI Protection in High-Frequency Electronic Devices with Custom PCB RF Shield

Customized precision metal stamping is a specialized manufacturing process tailored to produce high-precision electromagnetic interference (EMI) and radio frequency interference (RFI) shielding solutions for printed circuit boards (PCBs) operating in high-frequency environments (e.g., 5G, Wi-Fi 6E, radar, IoT, and automotive radar systems). This method combines advanced tooling, material selection, and engineering design to create bespoke RF shields that ensure signal integrity, electromagnetic compatibility (EMC), and regulatory compliance while optimizing cost, weight, and assembly efficiency.

Material Of Customized Precision Metal Stamping for EMI RFI Protection in High-Frequency Electronic Devices with Custom PCB RF Shield

Material a	and Testing Report	
Metal	Aluminum	Aluminum 2024 Aluminum 5052 Aluminum 6061-T6
		Aluminum 6063 Aluminum 7075 Aluminum MIC 6
	Stainlesss steel	SUS303, SUS304, SS316, SS316L
		UNS S32304 UNS S32003 UNS S31803 UNS
		S32205
		UNS S32760 UNS S32750 UNS S32550 UNS
		S32707 UNS S33207
	Steel	12L14 4140 1018 1045 12L14 4130 4142 ,O1 tool
		steel,
		D2 tool steel,A36 1008 ,Alloy42
	Titanium	Grades 1-4 Grade 5 Grade 9
	Brass	260, C360, H59, H60, H62, H63, H65, H68, H70
	Copper	
	Phosphor bronze	
	Bronze	C932
	Carbon fiber	
	PTFE	Polytetrafluoroethylene (PTFE)
Plastic	Acetal	(Polyoxymethylene (POM)) [Delrin]
	PEEK	Polycarbonate
	Polystyrene	Polyether Ketone
	Nylon	
	ABS	
	PVC	
	Acrylic	
	G-10 Garolite	
	Fiberglass	

Finish Result			
As Machined Sharp edge and burrs will be removed			
Bead Blast	The part surface is left with a smooth, matte appearance		
Anodized	Type II creates a corrosion-resistant finish. Parts can be anodized in different colors—clear, black, red, and gold are most common—and is usually associated with aluminum.		
	Type III is thicker and creates a wear-resistant layer in addition to the corrosion resistance seen with Type II.		
Powder Coat	This is a process where powdered paint is sprayed onto a part which is then baked in an oven. This creates a strong, wear- and corrosion-resistant layer that is more durable		
	than standard painting methods. A wide variety of colors are available to create the desired aesthetic.		
Lusiomizea	Cotact us via email, skype, whatsapp. We will look into a finishing process for you.		
Others			
Tolerance	+/-0.005mm		
Lead Time	1-2 weeks for samples, 3-4 weeks for mass production		
Drawing Accepted	Solid Works, Pro/Engineer, AutoCAD(DXF, DWG), PDF		
Payment Terms	TT/Paypal/WestUnion		

Industries Of Customized Precision Metal Stamping for EMI RFI Protection in High-Frequency Electronic Devices with Custom PCB RF Shield

- 1. Aircraft parts
- 2. Automobile parts
- 3. Fixture parts
- 4. Medical parts
- 5. Petro chemical parts
- 6. Education parts

Features Of High Quality RF Shield

- 1. High precision
- 2. Short processing time
- 3. Easier customized/personalized

Why Choose Us

Our Advantages

1. Optimized Performance in High-Frequency Environments

Reduced Crosstalk & Noise: Custom shields isolate sensitive RF components (e.g., oscillators, mixers, amplifiers) from interference, improving signal-to-noise ratio (SNR) and bit error rate (BER).

Frequency-Specific Shielding: Tailored designs (e.g., slotted or perforated shields) can balance shielding effectiveness (SE) with ventilation needs for thermal management in compact devices.

2. Cost Efficiency & Scalability

Low Tooling Costs: Stamping dies are reusable and cost-effective compared to CNC machining or photochemical etching, especially for mid-to-high volumes (10,000+ units).

Material Efficiency: Advanced nesting algorithms minimize scrap, reducing material costs by 20–40% compared to laser-cut or folded shields.

3. Accelerated Time-to-Market with Rapid Prototyping

Fast Design Iterations: In-house tooling and digital twin simulations enable 24–72-hour prototype delivery, allowing quick EMC testing and design refinement.

Seamless PCB Integration: Shields are designed for automated pick-and-place assembly, eliminating manual soldering or adhesive bonding steps and reducing labor costs by up to 50%.



FAQ

Q1: Where can I get product & price information?

A1:Send us inquiry e-mail, we will contact you as we receive your mail.

Q2: How long can I get the sample?

A2:Depends on your specific items, within 3-7 days is required generally.

Q3: What kinds of information you need for quote?

A3:Kindly please provide the product drawing in PDF, and will be better you can provide in STEP or IGS.

Q4: What are the payment terms?

A4: We accept 50% as payment deposit, when the goods is done, we take photos for your check and you then pay the balance.

Q5: Are you a trading company or factory?

A5:We are direct factory with 10 experienced engineers and more than 650 employees as well approximate 2,000 square ft. workshop area.

Q6: What shall we do if we do not have drawings?

A6:Please send your sample to our factory, then we can copy or provide you better solutions. Please send us pictures or drafts with dimensions (Length, Hight, Width), CAD or 3D file will be made for you if placed order.



Shenzhen Xianheng Technology Co.,Ltd

0086-13682614486



shawn@xianheng-tech.com



cnc-metalmachining.com

Room 8-1409, Xingji jiayuan building 8-9#, HongXing community, Songgang street, Bao'an District, Shenzhen City China