



Custom Aluminum CNC Extrusion Radiator for OEM Applications with Tight Tolerances Precision Machining for Custom Components

Basic Information

Place of Origin: Shenzhen China
Brand Name: Xianheng
Certification: ISO9001:2015
Model Number: AL-CNC-073
Minimum Order Quantity: 1 pcs

• Price: USD \$0.1-\$1.99

Packaging Details: Carton, As Customers'packaging

requirements

Delivery Time: Samples 7-10 days, Mass production 20-25

days

• Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 10000 pcs per week



Product Specification

Cnc Machining Or Not:
 CNC Machining

• Type: Milling, Turning, Machining

Material Capabilities: Copper, Aluminum, Bronze, Stainless Steel,

Brass

Surface Treatment: Anodizing, Brush, Anodized,

Painting/Powder Coating/Sandblast/Color

Anodize/Polish/Oxidation

Application: Machinery, Automotive, Laptop, Industrial

Equipment, Engineering

Keyword: Aluminum Enclosure Box

• Tolerance: 0.01mm, 0.05 Mm, +/-0.005, 0.003-0.05mm

Service: Customized OEMSample: Acceptable



More Images



Product Description

What We Can Provide

Custom Aluminum CNC Extrusion Radiator for OEM Applications with Tight Tolerances Precision Machining for Custom Components

Description of Custom Aluminum CNC Extrusion Radiator for OEM Applications with Tight Tolerances Precision Machining for Custom Components

A Custom Aluminum CNC Extrusion Radiator designed for OEM (Original Equipment Manufacturer) applications combines high-precision CNC machining with aluminum extrusion technology to produce radiators with tight tolerances and customized components. This solution is ideal for industries requiring thermal management in tight spaces, such as electronics, automotive, aerospace, and industrial machinery.

Specification of Custom Aluminum CNC Extrusion Radiator for OEM Applications with Tight Tolerances Precision Machining for Custom Components

CNC Capacity				
CNC Machining Center	3 / 4 / 5 axis CNC Machining Centers		40+ CNC Machines	
CNC Turning	φ0.5 - φ300 * 750 mm		DIN-2768-Fine +/-0.005 mm	
CNC Machining	1270×508×635 mm(max)		DIN-2768-Fine +/-0.005 mm	
CNC Stamping	(),		DIN-2768-Fine +/-0.005 mm	
Drawing Format	IGS,STP,X_T ,DXF,DWG , Pro/E, PDF			
Inspection Equipments	Measurement Instrument, Projector, CMM, Altimeter, Micrometer, Thread Gages, Calipers, Pin Gauge etc.			
Material Available	·			
Stainless Steel	SS201,SS301, SS303, SS304, SS316, SS416, 17-4PH, etc.			
Steel	Mild steel, Carbon Steel, 4140, 4340, Q235, Q345B, 20#, 45# etc.			
Brass	HPb63, HPb62, HPb61, HPb59, H59, H68, H80, H90 etc.			
Copper	C11000,C12000,C12000 C36000 etc.			
Aluminum	AL6061, Al6063, AL6082, AL7075, AL5052, A380 etc.			
Iron	A36, 45#, 1213, 12L14, 1215 etc.			
Plastic	ABS, PC, PE, POM, Delrin, Nylon, Teflon, PP,PEI, Peek etc.			
Surface Finishing				
Aluminum Parts	Stainless Steel Parts	Steel Parts	Copper /Brass	Plastic Parts
Clear Anodized	Polishing	Zinc plating	Polishing	Painting
Color Anodized	Passivating	Oxide black	Passivation	Chrome plating
Sandblast Anodized	Sandblasting	Nickel plating	Galvanized	polishing
Chemical Film	Laser engraving	Chrome plating	Nickel Plating	Sandblast
Brushing		Carburized	Chrome plating	Laser engraving
Polishing		Heat treatment		
Chroming		Powder Coated		

Application Of Custom Aluminum CNC Extrusion Radiator for OEM Applications with Tight Tolerances Precision Machining for Custom Components

- 1. Auto Components Hardware Parts Auto Parts
- 2. Communication Equipment
- 3. Industrial Equipment
- 4. Medical EquipmentsMechanical Parts
- 5. Ship Accessories
- 6. Electrical Equipment
- 7. Mechanical Equipment

Feature Of Custom Aluminum CNC Extrusion Radiator for OEM Applications with Tight Tolerances Precision Machining for Custom Components

- 1. Good corrosion resistance
- 2. High strength and hardness
- 3. High thermal conductivity
- 4. Good finishing characteristics

Why Choose Us

Our advantages

1. High Precision & Customization

Tight tolerances (±0.01mm) ensure perfect fitment in OEM assemblies.

Customizable geometries (fin density, channel layouts, mounting features) optimize thermal performance for specific applications.

2. Cost-Effective Medium-to-High Volume Production

Extrusion reduces material waste and tooling costs compared to fully CNC-machined radiators. CNC finishing adds precision without excessive per-unit costs, making it ideal for OEM batch production.

3. Superior Thermal Performance

Optimized fin designs (e.g., turbulated, pin, or louvered fins) increase surface area for better heat dissipation. Anodized aluminum improves emissivity, enhancing radiative cooling.

4. Lightweight & Durable Construction

Aluminum's low density reduces overall system weight, critical for automotive, aerospace, and portable electronics. Corrosion resistance (via anodizing or powder coating) extends service life in harsh environments.

Factory Show

Factory Equipment





FAQ

Q: How can I customize my products?

A: Please describe your project. Include the following information so that we can provide an accurate quote: Part Name, 3D CAD Drawing, Quantity, Material, Color, Finishing.

Q: How can I know my products going on ?

A: We will offer a detailed production schedule and send weekly reports with digital pictures and videos which show the production process.

Q: Can You sign a confidentiality greement?

A: We can sign a confidentiality agreement according to your needs.

Q: What is your terms of payment?

A: 30% in advance ,70% balance before shipment. Other terms negotiable.

Q: Are you a trading company or factory?

A: We are direct factory with 20 experienced engineers and more than 80 employees as well approximate 3,000 square meters workshop area.

Q: What shall we do if we do not have drawings?

A: Please send your sample to our factory, then we can copy or provide you better solutions. Please send us pictures or drafts with dimensions(Length, Height, Width), CAD or 3D file will be made for you if placed order.

Room 8-1409, Xingji jiayuan building 8-9#, HongXing community, Songgang street, Bao'an District, Shenzhen City China