



# Aluminum Components High Precision CNC Parts 90% Recycled Material Carbon-Neutral Production Process

#### **Basic Information**

Place of Origin: Shenzhen China
Brand Name: Xianheng
Certification: ISO9001:2015
Model Number: AL-CNC-092

• Minimum Order Quantity: 1 pcs

• Price: USD \$0.1-\$1.99

Packaging Details: Carton, As Customers'packaging

requirements

Delivery Time: Samples 7-10 days, Mass production 20-25

days

• Payment Terms: T/T,Western Union,MoneyGram

Supply Ability: 10000 pcs per week



### **Product Specification**

Cnc Machining Or Not:
 CNC Machining

• Type: Milling, Turning, Machining

• Material Capabilities: Copper, Aluminum, Bronze, Stainless Steel,

Brass

• Surface Treatment: Anodizing, Brush, Anodized,

Painting/Powder Coating/Sandblast/Color

Anodize/Polish/Oxidation

Application: Machinery, Automotive, Laptop, Industrial

Equipment, Engineering

Keyword: Aluminum Enclosure Box

• Tolerance: 0.01mm, 0.05 Mm, +/-0.005, 0.003-0.05mm

Service: Customized OEMSample: Acceptable



### More Images



### **Product Description**

### What We Can Provide

Aluminum Components High Precision CNC Parts 90% Recycled Material Carbon-Neutral Production Process

Description of Aluminum Components High Precision CNC Parts 90% Recycled Material Carbon-Neutral Production Process

Aluminum Components High Precision CNC Parts utilize 90% recycled aluminum material, processed through a carbon-neutral production system. This includes renewable energy-powered CNC machining, closed-loop material recycling, and carbon offset certifications, ensuring minimal environmental impact while maintaining micron-level precision (±0.02mm tolerance) and material integrity.

Specification of Aluminum Components High Precision CNC Parts 90% Recycled Material Carbon-Neutral Production Process

CNC Capacity					
CNC Machining Center	3 / 4 / 5 axis CNC Machining Centers		40+ CNC Machines		
CNC Turning	φ0.5 - φ300 * 750 mm		DIN-2768-Fine +/-0.005 mm		
CNC Machining	1270×508×635 mm(max)		DIN-2768-Fine +/-0.005 mm		
CNC Stamping	1000 * 1000 mm(max)		DIN-2768-Fine +/-0.005 mm		
Drawing Format	IGS,STP,X_T ,DXF,DWG , Pro/E, PDF				
Inspection Equipments	Measurement Instrument, Projector, CMM, Altimeter, Micrometer, Thread Gages, Calipers, Pin Gauge etc.				
Material Available	·				
Stainless Steel	SS201,SS301, SS	SS201,SS301, SS303, SS304, SS316, SS416, 17-4PH, etc.			
Steel	Mild steel, Carbon Steel, 4140, 4340, Q235, Q345B, 20#, 45# etc.				
Brass	HPb63, HPb62, HPb61, HPb59, H59, H68, H80, H90 etc.				
Copper	C11000,C12000,C12000 C36000 etc.				
Aluminum	AL6061, Al6063, AL6082, AL7075, AL5052, A380 etc.				
Iron	A36, 45#, 1213, 12L14, 1215 etc.				
Plastic	ABS, PC, PE, POM, Delrin, Nylon, Teflon, PP,PEI, Peek etc.				
Surface Finishing					
Aluminum Parts	Stainless Steel Parts	Steel Parts	Copper /Brass	Plastic Parts	
Clear Anodized	Polishing	Zinc plating	Polishing	Painting	
Color Anodized	Passivating	Oxide black	Passivation	Chrome plating	
Sandblast Anodized	Sandblasting	Nickel plating	Galvanized	polishing	
Chemical Film	Laser engraving	Chrome plating	Nickel Plating	Sandblast	
Brushing		Carburized	Chrome plating	Laser engraving	
Polishing		Heat treatment			
Chroming		Powder Coated			

### Application Of Aluminum Components High Precision CNC Parts 90% Recycled Material Carbon-Neutral Production Process

- 1. Auto Components Hardware Parts Auto Parts
- 2. Communication Equipment
- 3. Industrial Equipment
- 4. Medical EquipmentsMechanical Parts
- 5. Ship Accessories
- 6. Electrical Equipment
- 7. Mechanical Equipment

# Feature Of Aluminum Components High Precision CNC Parts 90% Recycled Material Carbon-Neutral Production Process

- 1. Good corrosion resistance
- 2. High strength and hardness
- 3. High thermal conductivity
- 4. Good finishing characteristics

### Why Choose Us

#### Our advantages

Sustainability Leadership: 90% recycled content reduces primary aluminum extraction by 95%, cutting CO<sub>2</sub> emissions by 80% compared to conventional manufacturing, aligning with global net-zero targets.

**Cost Efficiency:** Recycled aluminum costs 30-40% less than virgin material, while carbon-neutral processes qualify for green subsidies and ESG investment incentives.

**Performance Consistency:** High-precision CNC machining ensures dimensional accuracy <0.03mm, with recycled aluminum maintaining equivalent mechanical properties (yield strength >240MPa) to virgin alloys.

Regulatory & Market Compliance: Meets EU Circular Economy Action Plan, California SB-260, and ISO 14064 standards, enhancing brand reputation and securing contracts with eco-conscious clients.

### **Factory Show**

## **Factory Equipment**





#### **FAQ**

- Q: How can I customize my products?
- A: Please describe your project. Include the following information so that we can provide an accurate quote: Part Name, 3D CAD Drawing, Quantity, Material, Color, Finishing.
- Q: How can I know my products going on ?
- A: We will offer a detailed production schedule and send weekly reports with digital pictures and videos which show the production process.
- Q: Can You sign a confidentiality greement?
- A: We can sign a confidentiality agreement according to your needs.
- Q: What is your terms of payment?
- A: 30% in advance ,70% balance before shipment. Other terms negotiable.
- Q: Are you a trading company or factory?
- A: We are direct factory with 20 experienced engineers and more than 80 employees as well approximate 3,000 square meters workshop area.
- Q: What shall we do if we do not have drawings?
- A: Please send your sample to our factory, then we can copy or provide you better solutions. Please send us pictures or drafts with dimensions(Length, Height, Width), CAD or 3D file will be made for you if placed order.



Room 8-1409, Xingji jiayuan building 8-9#, HongXing community, Songgang street, Bao'an District, Shenzhen City China